



## Pihagolf GP Royal Tee

### Technical Data

Application

Pile weight

Face yarn

Primary backing

Stitches 10 cm

Stitch rate

Filaments/m<sup>2</sup>

Pile Length

Total height incl. backing

Construction

Backing

Total weight

Roll width

Roll Length

Colour

UV - stability

Recommended infill rate

### Specifications

Golf Tee

3.960 gr/m<sup>2</sup> (± 10%)

PE 9.000/8 Dtex Monofilament Texturized, 200µm (±5%)

100% PP Double Woven, 260 gr/m<sup>2</sup> (±10%)

30 (± 10%)

63.000/m<sup>2</sup> (± 10%)

504.000/m<sup>2</sup> (± 10%)

30 mm (± 10%)

27 mm (± 10%)

Tufted 3/16" Gauge

SBR Latex coating ± 988 gram/m<sup>2</sup>

5.208 gr/m<sup>2</sup> (± 10%)

200 cm (± 2cm)

approx. 20 m1

Emerald green / Olive green

DIN 53387 Standard (6000 Hrs) W.O.M.Test

approx. 10 kg/m<sup>2</sup> Silica Sand (0.5 - 1.0 mm. round of shape)